
## **INOXMARE®**

### HINGE, STAMPED



DATASHEET ART. 8049

# ART.8049 TECHNICAL SPECIFICATIONS


| Material | Stainless steel |  |  |
|----------|-----------------|--|--|
| Quality  | AISI 304        |  |  |
| Surface  | Blank           |  |  |

#### **PRACTICES**



Boat building (equipment)


## DIMENSIONS (MM)




| size          | Α   | В   | С   | D   | E   |
|---------------|-----|-----|-----|-----|-----|
| L             | 70  | 40  | 60  | 60  | 60  |
| В             | 30  | 40  | 40  | 50  | 60  |
| L2            | 20  | 20  | 40  | 40  | 40  |
| B2            | 20  | 24  | 25  | 34  | 40  |
| L3            |     |     |     |     |     |
| ВЗ            |     |     |     |     |     |
| screw hole-Ø  | 4,5 | 4,5 | 5,5 | 5,5 | 5,5 |
| countersunk-Ø | 8   | 8   | 9   | 9   | 9   |

## DIMENSIONS (MM)

F-I





| sice          | F   | G   | н   | 1   | Р   |
|---------------|-----|-----|-----|-----|-----|
| L             | 80  | 80  | 80  | 80  | 100 |
| В             | 50  | 60  | 70  | 80  | 100 |
| L2            | 60  | 60  | 60  | 60  | 75  |
| B2            | 24  | 34  | 48  | 59  | 79  |
| L3            | 34  | 34  | 28  | 40  | 60  |
| В3            |     |     |     |     | 29  |
| screw hole-Ø  | 5,5 | 5,5 | 5,5 | 5,5 | 6,5 |
| countersunk-Ø | 9   | 9   | 9   | 9   | 11  |