

MOUNTING RAIL 40X40, UPPER SLOT M8 LOWER SLOT M10



DATA SHEET Art. 9664-W1-UL

FASTENERS | MARINE HARDWARE | FITTINGS | SOLAR

Art. 9664-W1-UL TECHNICAL SPECIFICATIONS

Material type	Aluminium
Kindness	AlMgSi0,5 F25 / A2
Surface	Blank

YOUR ADVANTAGES



FAST ASSEMBLY



SAFE HOLD



COST-EFFECTIVE



ALSO AVAILABLE BLACK ANODIZED

› For increased corrosion protection



UNIVERSALLY APPLICABLE

› Other lengths customizable



IMMEDIATELY READY FOR ASSEMBLY

APPLICATION




PHOTOVOLTAIC MODULE MOUNTING



GROUNDING OF PHOTOVOLTAIC MODULES IN
COMBINATION OF CENTER AND END TERMINAL POSSIBLE

FASTENERS | MARINE HARDWARE | FITTINGS | SOLAR

DIMENSIONS (MM)



Item number	Length	
9664-AL-40X40X1100UL	1100 mm	on request
9664-AL-40X40X1200UL	1200 mm	on request
9664-AL-40X40X2200UL	2200 mm	on request
9664-AL-40X40X2400UL	2400 mm	on request
9664-AL-40X40X3200UL	3200 mm	
9664-AL-40X40X3600UL	3600 mm	
9664-AL-40X40X4400UL	4400 mm	on request
9664-AL-40X40X6400UL	6400 mm	

FASTENERS | MARINE HARDWARE | FITTINGS | SOLAR